

# SEED TECHNOLOGY INC (SEEEDUINO)

## DC jack to JST 2pin Converter

### Model: ARD101C40

#### **Introduction**

DC jack to JST 2pin Converter is needed for [Seeeduino](#) and [Rainbowduino](#).



#### **Features**

- feature1
- feature2
- feature3

#### **Application Ideas**

- Application1
- Application2
- Application3

#### **Cautions**

The warnings and wrong operations possible cause dangerous.

#### **Schematic**

It is the schematic, the circuit about Eagle resource like .pdf should linked here in order to avoid memory exhausted.

## **Specification**

May include key specification and other specifications.

## **Pin definition and Rating**

## **Mechanic Dimensions**

## **Usage**

## **Hardware Installation**

## **Programming**

Includes important code snippet. Demo code like :

```
Demo code
{
}
```

## **Example**

The projects and application examples.

## **Bill of Materials (BOM) /parts list**

All the components used to produce the product.

## **Support**

If you have questions or other better design ideas, you can go to our [forum](#) or [wish](#) to discuss.

## **Version Tracker**

Revision	Descriptions	Release
v1.0	Initial public release	Jun 25, 2010

## **Bug Tracker**

Bug Tracker is the place you can publish any bugs you think you might have found during use. Please write down what you have to say, your answers will help us improve our products.

## **Additional Idea**

The Additional Idea is the place to write your project ideas about this product, or other usages you've found. Or you can write them on Projects page.

## **Resources**

The resources need to be downloaded, like Eagle file, Demo code, project or other datasheet.

## **See Also**

Other related products and resources.

## **Licensing**

This documentation is licensed under the Creative Commons [Attribution-ShareAlike License 3.0](#) Source code and libraries are licensed under [GPL/LGPL](#), see source code files for details.