

GT-800BT

GeoTagging photo & Navigation

■ Introduction

- Easy Installation & Operation
- Support USB PnP to download the track data without driver installation
- User Friendly software with mouse click only
- Easily adding photos to a route to illustrate the route
- Dual-purpose for data logging and navigation
- Bundled with Photologr software



GT-800BT

■ Feature

■ GT-800BT


- Atmel Chipset 16 Channels all in view tracking
- High Sensitivity -158dBm
- Support Standard NMEA-0183 V2.3 protocol
- Auto Adjustment Baud Rate 4800-115200bps
- DGPS:WAAS/ENGOS/MSAS
- Bundled with Photologr software support multi language (Chinese Simplified,Chinese Traditional, English,Polish,Danish,Spanish,French,Russian)
- Daul-purpose for data logging and navigation
- 120,000 Waypoints

■ Specifications


General	L1 1575.42MHz, C/A code, 16-channel, Carrier-Aided with HWTrack©
Sensitivity	-158dB minimum
Update Rate	1Hz
Accuracy	Position: 15m CEP without S/A Velocity: 0.1 m/sec without S/A Time: 1Jgs
WAAS Accuracy	Position: 3m CEP Velocity: 0.05m/sec
Acquisition	Cold start: 34sec (average) Warm start: 33sec (average) Hot start: 3.5sec (average)
Reacquisition	0.1 Second
Dynamics	Altitude: -1000m to 18000m Velocity: 500m/sec Acceleration: 4g
Protocol	NMEA-0183 V2.3, 8-None-1 Baud rate: Auto Adjustment 4800-115200bps
Datum	219 standard datum, default WGS-84
DGPS	WAAS/EGNOS/MSAS
Antenna	Built-in Patch Antenna
NMEA Message	GGA, GLL, GSA, GSV, RMC, VTG
Dimension;Weight	73*45*20mm/60g
Battery	Lithium-Ion Rechargeable Battery 3.7V/1100mAH
Charger Power	5V 0.5Vp-p ripple DC
Current Consusmption	90 mA
Operation Time	Up to 12 Hours after full charge
Interface	Wireless
Operation Temperature	-20°C to +70°C
Storage Temperature	-40°C to +90°C
Operating Humidity	5% to 95%

How to embed moremap to Blogs

1. Through Moremapper software to upload your moremap to Cmoremap website or others moremap you are interesting in
2. There are two URL in "Link" and "Embed"




3. Create your blogs which support html edit (ex: google's blogspot => <http://evermoregps.blogspot.com>)
4. Create a new POST, then paste the moremap "Link" and "Embed" from Cmoremap website





5. Then switch to “Compose” type from “Edit Html” when posting.

You can also type your comments here that’s all right.



6. After your editing, you can choose the “preview”, then go “publish post”



Very easily and quickly! You can also see your moremap at your blogs, cmoremap is a tool to color your blogs and web blogs: <http://evermoregps.blogspot.com>