SEED TECHNOLOGY INC (SEEEDUINO) Bread board Clear - 8.2*5.3cm Model: STR101C2M

Introduction

This is a half size breadboard, good for small projects. It's 8.2 cm x 5.3 cm with a standard double-strip in the middle and two power rails on both sides. You can pull the power rails off easily to make the breadboard as thin as 3.5cm and stick it onto an Arduino protoshield. You can also cut these in half with a saw to create 2 tiny breadboards, or "snap" these breadboards together either way to make longer and/or wider breadboards.



Features

• Dimensions: 8.2*6.3*0.85 cm

Horizontal: 1-30Vertical: A-J2 power lanes

Application Ideas

- Application1
- Application2
- Application3

Cautions

The warnings and wrong operations possible cause dangerous.

Schematic

It is the schematic, the circuit about Eagle resource like .pdf should linked here in order to avoid memory exhausted.

Specification

May include key specification and other specifications.

Pin definition and Rating

Mechanic Dimensions

Usage

Hardware Installation

Programming

Includes important code snippet. Demo code like:

```
Demo code
{
}
```

Example

The projects and application examples.

Bill of Materials (BOM) /parts list

All the components used to produce the product.

FAQ

Please list your question here:

Support

If you have questions or other better design ideas, you can go to our <u>forum</u> or <u>wish</u> to discuss.

Version Tracker

	Revision	Descriptions	Release
v1.0		Initial public release	Jun 09, 2009

Bug Tracker

Bug Tracker is the place you can publish any bugs you think you might have found during use. Please write down what you have to say, your answers will help us improve our products.

Additional Idea

The Additional Idea is the place to write your project ideas about this product, or other usages you've found. Or you can write them on Projects page.

Комплектующие для робототехники

Resources

The resources need to be downloaded, like Eagle file, Demo code, project or other datasheet.

See Also

Other related products and resources.

Licensing

This documentation is licensed under the Creative Commons <u>Attribution-ShareAlike License 3.0</u> Source code and libraries are licensed under <u>GPL/LGPL</u>, see source code files for details.